

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|---|---|---------------------|
| - | 5494 | partition\$3 same rout\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 00:16 |
| - | 322 | ((partition\$3 same rout\$3) and diagonal | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/19 23:44 |
| - | 274 | ((partition\$3 same rout\$3) and diagonal) and stor\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 00:16 |
| - | 67 | ((partition\$3 same rout\$3) and diagonal) and stor\$3) and 716/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/19 23:45 |
| - | 191 | ((partition\$3 same rout\$3) and diagonal) and (region or sub-region) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 00:16 |
| - | 55 | ((partition\$3 same rout\$3) and diagonal) and (region or sub-region)) and 716/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 13:39 |
| - | 360 | (partition\$3 same rout\$3) and 716/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 00:16 |
| - | 307 | ((partition\$3 same rout\$3) and 716/\$.ccls.) and stor\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 00:16 |
| - | 178 | ((partition\$3 same rout\$3) and 716/\$.ccls.) and stor\$3) and (region or sub-region) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 00:17 |
| - | 15290 | (depth-first or (depth near2 first)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 15:54 |
| - | 15290 | (depth-first or (depth near2 first)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 15:54 |
| - | 252 | ((depth-first or (depth near2 first))) same rout\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 15:58 |
| - | 10 | ((depth-first or (depth near2 first))) same rout\$4) same cost | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/20 15:58 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 9 | ((((depth-first or (depth near2 first))) same rout\$4) and cost) and 716/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/09/20 16:01 |
| - | 127 | ((((depth-first or (depth near2 first))) same rout\$4) and cost | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/09/20 16:14 |
| - | 14 | ((((depth-first or (depth near2 first))) same rout\$4) and 716/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/09/20 16:14 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------------------------|--------------------------|-------------------------|------------|-------|--|------------|
| 1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030177455 A1 | 20030918 | 51 | Method and apparatus for interconnect-driven optimization of integrated circuit design | 716/2 |
| 2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030169685 A1 | 20030911 | 11 | Apparatus and method for graceful reassignment of out-of-kilter communications paths | 370/218 |
| 3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030165117 A1 | 20030904 | 19 | SYSTEM FOR COMMUNICATING LABELED ROUTING TREES TO ESTABLISH PREFERRED PATHS AND SOURCE ROUTES WITH LOCAL IDENTIFIERS IN WIRELESS COMPUTER NETWORKS | 370/238 |
| 4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030135354 A1 | 20030717 | 106 | Tracking convergence results in a batch simulation farm network | 703/13 |
| 5 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030128203 A1 | 20030710 | 13 | Determining a node path through a node graph | 345/419 |
| 6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030125915 A1 | 20030703 | 107 | Count data access in a distributed simulation environment | 703/13 |
| 7 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030115170 A1 | 20030619 | 35 | Knowledge acquisition in expert systems | 707/1 |
| 8 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030112817 A1 | 20030619 | 25 | Methods and apparatus for differentiated services over a packet-based network | 370/413 |
| 9 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030109266 A1 | 20030612 | 23 | Integrated journey planner | 455/456.1 |
| 10 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030101382 A1 | 20030529 | 108 | Fail thresholding in a batch simulation farm network | 714/39 |
| 11 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030101041 A1 | 20030529 | 107 | Annealing harvest event testcase collection within a batch simulation farm | 703/22 |
| 12 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030101039 A1 | 20030529 | 107 | Maintaining data integrity within a distributed simulation environment | 703/16 |
| 13 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030101038 A1 | 20030529 | 107 | Centralized disablement of instrumentation events within a batch simulation farm network | 703/16 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------------------------|--------------------------|-------------------------|------------|-------|---|------------|
| 14 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030101035 A1 | 20030529 | 107 | Non-redundant collection of harvest events within a batch simulation farm network | 703/13 |
| 15 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030009666 A1 | 20030109 | 14 | Methods and apparatus for efficient computation of one-way chains in cryptographic applications | 713/168 |
| 16 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020187770 A1 | 20021212 | 34 | Topological design of survivable mesh-based transport networks | 455/403 |
| 17 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020128809 A1 | 20020912 | 48 | Randomized simulation model instrumentation | 703/17 |
| 18 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020123875 A1 | 20020905 | 45 | Hierarchical processing of simulation model events | 703/17 |
| 19 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020123874 A1 | 20020905 | 58 | Detecting events within simulation models | 703/17 |
| 20 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020123873 A1 | 20020905 | 54 | Signal override for simulation models | 703/17 |
| 21 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020120922 A1 | 20020829 | 39 | Embedded hardware description language instrumentation | 717/143 |
| 22 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020120620 A1 | 20020829 | 25 | Method and system for composing a query for a database and traversing the database | 707/3 |
| 23 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020080174 A1 | 20020627 | 80 | System and method for configuring an instrument to perform measurement functions utilizing conversion of graphical programs into hardware implementations | 345/762 |
| 24 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020063410 A1 | 20020530 | 36 | Net shape filament winding manufacturing process, articles made therefrom and composite bicycle fork and other components | 280/274 |
| 25 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020025798 A1 | 20020228 | 27 | TELECOMMUNICATIONS SERVICE DELIVERY | 455/412.1 |
| 26 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020015358 A1 | 20020207 | 9 | Acoustic method and system for measuring fish population data in littoral environments | 367/131 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------------------------|--------------------------|-------------------|------------|-------|--|------------|
| 27 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20010023390 A1 | 20010920 | 19 | Path planning, terrain avoidance and situation awareness system for general aviation | 701/301 |
| 28 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6608638 B1 | 20030819 | 71 | System and method for configuring a programmable hardware instrument to perform measurement functions utilizing estimation of the hardware implentation and management of hardware resources | 345/771 |
| 29 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6591407 B1 | 20030708 | 50 | Method and apparatus for interconnect-driven optimization of integrated circuit design | 716/10 |
| 30 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6584601 B1 | 20030624 | 66 | System and method for converting graphical programs into hardware implementations which utilize probe insertion | 716/4 |
| 31 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6580715 B1 | 20030617 | 64 | Load balancing switch protocols | 370/396 |
| 32 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6577600 B1 | 20030610 | 64 | Cost calculation in load balancing switch protocols | 370/238 |
| 33 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6571226 B1 | 20030527 | 17 | Method and apparatus for automated design of chemical synthesis routes | 706/13 |
| 34 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6556541 B1 | 20030429 | 61 | MAC address learning and propagation in load balancing switch protocols | 370/235 |
| 35 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6522883 B2 | 20030218 | 27 | Telecommunications service delivery | 455/445 |
| 36 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6510107 B2 | 20030121 | 9 | Acoustic method and system for measuring fish population data in littoral environments | 367/131 |
| 37 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6473403 B1 | 20021029 | 63 | Identify negotiation switch protocols | 370/236 |
| 38 | <input type="checkbox"/> | <input type="checkbox"/> | US 6470478 B1 | 20021022 | 32 | Method and system for counting events within a simulation model | 716/4 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------------------------|--------------------------|------------------|------------|-------|---|------------|
| 39 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6456597 B1 | 20020924 | 64 | Discovery of unknown MAC addresses using load balancing switch protocols | 370/252 |
| 40 | <input type="checkbox"/> | <input type="checkbox"/> | US 6430676 B1 | 20020806 | 21 | Method and system for calculating instruction lookahead | 712/207 |
| 41 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6415433 B1 | 20020702 | 38 | Method and system for identifying locations to move portions of the computer program | 717/160 |
| 42 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6401038 B2 | 20020604 | 17 | Path planning, terrain avoidance and situation awareness system for general aviation | 701/301 |
| 43 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US RE37571 E | 20020305 | 70 | Subscriber RF telephone system having distributed channel switching capability | 455/403 |
| 44 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6317690 B1 | 20011113 | 17 | Path planning, terrain avoidance and situation awareness system for general aviation | 701/301 |
| 45 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6308177 B1 | 20011023 | 45 | System and method for use and storage of geographic data on physical media | 707/100 |
| 46 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6289014 B1 | 20010911 | 25 | Multiline-correspondent cell header conversion apparatus and method | 370/392 |
| 47 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6282190 B1 | 20010828 | 11 | Network centric call processing architecture using distributed call segments | 370/352 |
| 48 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6267399 B1 | 20010731 | 35 | Net shape filament winding manufacturing process, articles made therefrom and composite bicycle fork and other components | 280/274 |
| 49 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6266064 B1 | 20010724 | 36 | Coherent visibility sorting and occlusion cycle detection for dynamic aggregate geometry | 345/421 |
| 50 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6236410 B1 | 20010522 | 32 | Efficient methods for the evaluation of a graphical programming language | 345/440 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------------------------|--------------------------|------------------|------------|-------|---|------------|
| 51 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6222552 B1 | 20010424 | 22 | Systems and methods for caching depth information of three-dimensional images | 345/422 |
| 52 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6215763 B1 | 20010410 | 45 | Multi-phase process for distributed precomputation of network signal paths | 370/216 |
| 53 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6215503 B1 | 20010410 | 49 | Image generator and method for resolving non-binary cyclic occlusions with image compositing operations | 345/629 |
| 54 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6211071 B1 | 20010403 | 13 | Optimized trench/via profile for damascene filling | 438/640 |
| 55 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6205117 B1 | 20010320 | 43 | Distributed precomputation of network signal paths with table-based link capacity control | 370/228 |
| 56 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6192029 B1 | 20010220 | 22 | Method and apparatus for performing flow control in a wireless communications system | 370/229 |
| 57 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6167122 A | 20001226 | 29 | Telecommunications routing based on format of message | 379/93.15 |
| 58 | <input type="checkbox"/> | <input type="checkbox"/> | US 6163876 A | 20001219 | 19 | Method for verification of RTL generated from scheduled behavior in a high-level synthesis flow | 716/5 |
| 59 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6151304 A | 20001121 | 46 | Distributed precomputation of network signal paths with improved performance through parallelization | 370/238 |
| 60 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6148073 A | 20001114 | 11 | Network centric call processing architecture using distributed call segments | 379/221.01 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------------------------|--------------------------|-----------------|------------|-------|--|------------|
| 61 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6147304 A | 20001114 | 11 | Electrical outlet box | 174/48 |
| 62 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6130875 A | 20001010 | 45 | Hybrid centralized/distributed precomputation of network signal paths | 370/225 |
| 63 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6121149 A | 20000919 | 13 | Optimized trench/via profile for damascene filling | 438/692 |
| 64 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6117782 A | 20000912 | 14 | Optimized trench/via profile for damascene filling | 438/692 |
| 65 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6117781 A | 20000912 | 13 | Optimized trench/via profile for damascene processing | 438/692 |
| 66 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6073248 A | 20000606 | 45 | Distributed precomputation of signal paths in an optical network | 714/4 |
| 67 | <input type="checkbox"/> | <input type="checkbox"/> | US 6035107 A | 20000307 | 10 | Method for performing functional comparison of combinational circuits | 716/1 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------------------------|--------------------------|-----------------|------------|-------|--|------------|
| 68 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6031819 A | 20000229 | 21 | Method and system of distributed network restoration using preferred routes | 370/217 |
| 69 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6021113 A | 20000201 | 44 | Distributed precomputation of network signal paths with table-based link capacity control | 370/228 |
| 70 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6014147 A | 20000111 | 32 | Computer machine architecture for creating images from graphical elements and a method of operating the architecture | 345/620 |
| 71 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6011919 A | 20000104 | 32 | Method of providing efficiency to a graphical programming language with alternative form determination and cost of execution estimation | 717/114 |
| 72 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5999865 A | 19991207 | 8 | Autonomous vehicle guidance system | 701/25 |
| 73 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5968109 A | 19991019 | 49 | System and method for use and storage of geographic data on physical media | 701/208 |
| 74 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5963036 A | 19991005 | 41 | Well logging apparatus and method for determining properties of earth formations that have been invaded by borehole fluid | 324/338 |
| 75 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5943314 A | 19990824 | 29 | Method and system of distributed network restoration with multiple failures | 370/216 |
| 76 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5923646 A | 19990713 | 22 | Method for designing or routing a self-healing ring in a communications network and a self-healing ring routed in accordance with the method | 370/254 |
| 77 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5918171 A | 19990629 | 55 | Subscriber RF telephone system having distributed channel switching capability | 455/403 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------------------------|--------------------------|-----------------|------------|-------|--|------------|
| 78 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5900733 A | 19990504 | 36 | Well logging method and apparatus for determining downhole Borehole fluid resistivity, borehole diameter, and borehole corrected formation resistivity | 324/338 |
| 79 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5898826 A | 19990427 | 24 | Method and apparatus for deadlock-free routing around an unusable routing component in an N-dimensional network | 714/4 |
| 80 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5886526 A | 19990323 | 28 | Apparatus and method for determining properties of anisotropic earth formations | 324/338 |
| 81 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5873097 A | 19990216 | 76 | Update mechanism for computer storage container manager | 707/203 |
| 82 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5845201 A | 19981201 | 68 | Subscriber RF telephone system having distributed channel switching capability | 455/403 |
| 83 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5836014 A | 19981110 | 72 | Method of constructing a constant-folding mechanism in a multilanguage optimizing compiler | 717/156 |
| 84 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5804713 A | 19980908 | 9 | Apparatus for sensor installations in wells | 73/152.01 |
| 85 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5798625 A | 19980825 | 63 | DC motor and controlling system therefor | 318/541 |
| 86 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5745121 A | 19980428 | 33 | Methods and apparatus for optimizing the composition of graphical elements | 345/619 |
| 87 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5724494 A | 19980303 | 31 | Optimization method for the efficient production of images | 345/592 |
| 88 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5659753 A | 19970819 | 75 | Interface for symbol table construction in a multilanguage optimizing compiler | 717/147 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|-----|-------------------------------------|--------------------------|--------------|------------|-------|--|------------|
| 89 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5659484 A | 19970819 | 36 | Frequency driven layout and method for field programmable gate arrays | 716/16 |
| 90 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5657223 A | 19970812 | 38 | Method for seismic data processing using depth slice decomposition | 705/400 |
| 91 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5648913 A | 19970715 | 30 | Frequency driven layout system and method for field programmable gate arrays | 716/6 |
| 92 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5615137 A | 19970325 | 25 | On-the-fly model checking with partial-order state space reduction | 703/17 |
| 93 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5613117 A | 19970318 | 55 | Optimizing compiler using templates corresponding to portions of an intermediate language graph to determine an order of evaluation and to allocate lifetimes to temporary names for variables | 717/144 |
| 94 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5609349 A | 19970311 | 29 | Vehicle Fork | 280/280 |
| 95 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5608865 A | 19970304 | 84 | Stand-in Computer file server providing fast recovery from computer file server failures | 714/1 |
| 96 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5592610 A | 19970107 | 19 | Method and apparatus for enhancing the fault-tolerance of a network | 714/4 |
| 97 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5577253 A | 19961119 | 100 | Analyzing inductive expressions in a multilanguage optimizing compiler | 717/156 |
| 98 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5533016 A | 19960702 | 15 | Communications network ring router | 370/351 |
| 99 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5526299 A | 19960611 | 58 | Method and apparatus for encoding and decoding using wavelet-packets | 708/801 |
| 100 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5524212 A | 19960604 | 37 | Multiprocessor system with write generate method for updating cache | 711/121 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|-----|-------------------------------------|--------------------------|-----------------|------------|-------|--|------------|
| 101 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5521837 A | 19960528 | 35 | Timing driven method for laying out a user's circuit onto a programmable integrated circuit device | 716/10 |
| 102 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5504678 A | 19960402 | 39 | Method for seismic data processing using depth slice decomposition | 702/14 |
| 103 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5493675 A | 19960220 | 73 | Compiler back end calling predetermined front end routines that use effect and dependency indicators to provide information to the compiler to determine the validity of an optimization | 717/151 |
| 104 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5469154 A | 19951121 | 16 | Multiconnection switching networks | 340/2.22 |
| 105 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5461694 A | 19951024 | 63 | DC motor and controlling system therefor | 388/826 |
| 106 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5450535 A | 19950912 | 20 | Graphs employing clusters | 345/440 |
| 107 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5384725 A | 19950124 | 35 | Method and apparatus for encoding and decoding using wavelet-packets | 708/801 |
| 108 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5379419 A | 19950103 | 54 | Methods and apparatus for accessing non-relational data files using relational queries | 707/4 |
| 109 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5320463 A | 19940614 | 7 | Depth stop for a plunge router | 409/182 |
| 110 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5301325 A | 19940405 | 31 | Use of stack depth to identify architecture and calling standard dependencies in machine code | 717/159 |
| 111 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5224230 A | 19930706 | 11 | Router-bit drywall cutter | 7/158 |
| 112 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5210686 A | 19930511 | 13 | Multilevel bill of material processing | 705/29 |
| 113 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5185013 A | 19930209 | 6 | System of crack repair for building and paving material | 52/514 |

| | U | 1 | Document ID | Issue Date | Pages | Title | Current OR |
|-----|-------------------------------------|--------------------------|-----------------|------------|-------|---|------------|
| 114 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5144871 A | 19920908 | 10 | Numerically controlled screw cutting method for fine screw surface finishing | 82/1.11 |
| 115 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5123466 A | 19920623 | 7 | Decorative panel and method of manufacture | 144/372 |
| 116 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5123079 A | 19920616 | 64 | DC motor and controlling system therefor | 388/827 |
| 117 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4963916 A | 19901016 | 51 | Photographic camera | 396/235 |
| 118 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4882602 A | 19891121 | 51 | Photographic camera having a piezo-electric actuating element | 396/235 |
| 119 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4873544 A | 19891010 | 51 | Photographic camera having a piezo-electric actuating element | 396/235 |
| 120 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4868597 A | 19890919 | 53 | Photographic camera having a piezo-electric actuating element | 396/133 |
| 121 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4868595 A | 19890919 | 52 | Photographic camera | 396/133 |
| 122 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4829870 A | 19890516 | 9 | Electric guitar | 84/291 |
| 123 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4702584 A | 19871027 | 23 | Automatic focusing camera | 396/48 |
| 124 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4312391 A | 19820126 | 9 | Router adapting fixture for radial arm saws | 144/48.6 |
| 125 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4153579 A | 19790508 | 14 | Platinum, rhodium, and palladium catalyst for automotive emission control | 502/304 |
| 126 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4128506 A | 19781205 | 10 | Platinum-rhodium catalyst for automotive emission control | 502/334 |
| 127 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5923646 A | 19990713 | 22 | Self healing ring routing method in network complying with synchronous optical network protocol | |